

**SDS Revision 0 Date: 13/1/2022** 

# Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product IdentityGen-Z Mario's Light BlueAlternate NamesGen-Z Mario's Light Blue

**Unique Formula Identifier** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** Pigment dispersion produced for exclusive use for

permanent tattoos applications. The product should NOT be used in the eye. Product for professional use in accordance with Regulation 1907/2006 Annex XVII of the European Parliament and the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

(REACH).

1.3. Details of the supplier of the safety data sheet

Company Name Intenze Product Inc.

215, Rt 17

South Rochelle Park, NJ 07662

Customer Service: Intenze Product Inc. 201 342 4446

1.4. Emergency telephone number

**Emergency** 

**24 hour Emergency Telephone No.** 1 (800) 222-1222 American Association of Poison

**Control Centers** 

# Section 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

No applicable CLP categories.

#### 2.2. Label elements

According to REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006

No applicable CLP categories.

#### [Prevention]:

No CLP prevention statements



SDS Revision 0 Date: 13/1/2022

[Response]:

No CLP response statements

[Storage]:

No CLP storage statements

[Disposal]:

No CLP disposal statements

#### 2.3. Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

# Section 3. Composition/information on ingredients

#### 3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS] (as amended by (EU) 2015/830 and REGULATION (EU) 2020/878), they are listed below.

Ingredient/Chemical Designations	Weight %	Classification according to regulation EC No. 1272/2008*	Notes
Aqua CAS Number: 0007732-18-5 EC No. 231-791-2 Index No.:	25 - 50	Not Classified	Acute M-Factor: 1 Chronic M-Factor: 1
CI 77891 CAS Number: 0013463-67-7 EC No. 236-675-5 Index No.:	10 - 25	Not Classified	
Hamamelis virginiana, extract CAS Number: 0084696-19-5 EC No. 283-637-9 Index No.:	10 - 25	Not Classified	
Glycerine CAS Number: 0000056-81-5 EC No. 200-289-5 Index No.:	10 - 25	Not Classified	
CI 74160 CAS Number: 0000147-14-8 EC No. 205-685-1 Index No.:	1 - 5	Combustible Dust	Acute M-Factor: 1 Chronic M-Factor: 1
Ammonium Acrylates Copolymer CAS Number: Proprietary EC No. Proprietary Index No.: Proprietary	1 - 5	Not Classified	
Ethanol CAS Number: 0000064-17-5 EC No. 200-578-6 Index No.: 603-002-00-5	1 - 5	Flam. Liq. 2;H225	

<sup>^</sup>CLP 31 Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

\*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.



SDS Revision 0 Date: 13/1/2022

#### Section 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position and

obtain immediate medical attention. Give nothing by mouth.

Eye Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart

and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** Treat symptomatically. Exposure to solvent vapor concentrations from the

component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in

extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact

dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section

2 for further details.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to physician** Treat symptomatically.

# **Section 5. Fire-fighting measures**

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

#### 5.3. Advice for fire-fighters



**SDS Revision 0 Date: 13/1/2022** 

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. ----

#### Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

### Section 7. Handling and storage

#### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]:

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Store containers in a cool, ventilated, dry area away from direct sunlight, heat sources, strong oxidizing agents, and electrostatic charges. Containers should be stored between 4 - 25 °C (39 - 77 °F).

Incompatible materials: No available information

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No available information



# Section 8. Exposure controls / personal protection

#### **8.1.** Control parameters

**Exposure** 

CAS No.	Ingredient	Source	Value
0000056-81-5	Glycerine	OSHA	TWA 15 mg/m3 (total dust) TWA 5 mg/m3 (resp)
		ACGIH	TWA: 3 mg/m3 (respirable) 10 mg/m3 (mist)
		NIOSH	No established RELs
		National	No Established Limit
0000064-17-5	Ethanol	OSHA	TWA 1000 ppm (1900 mg/m3)
		ACGIH	No Established Limit
		NIOSH	TWA 1000 ppm (1900 mg/m3)
		National	No Established Limit
0000147-14-8	CI 74160	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		National	No Established Limit
0013463-67-7	CI 77891	OSHA	TWA 15 mg/m3
		ACGIH	TWA: 10 mg/m3
		NIOSH	Footnote ca
		National	No Established Limit
Proprietary	Ammonium Acrylates Copolymer	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		National	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

#### 8.2. Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Protective safety glasses recommended

**Skin** Protective gloves recommended.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved

by the use of local exhaust ventilation and good general extraction. If these are not

sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking

or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

#### Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

**Appearance** Color: Characteristic Physical State: Liquid

**Odor** Characteristic

SDS Revision 0

Date: 13/1/2022



et SDS Revision 0 t Blue Date: 13/1/2022

Odor thresholdNo available informationpHNo available informationMelting point / freezing pointNo available informationInitial boiling point and boiling rangeNo available information

Flash Point °F °C, Test method: (Open/Close cup)

**Evaporation rate (Ether = 1)**No available information **Flammability (solid, gas)**No available information

**Upper/lower flammability or explosive limits** Lower Explosive Limit: No available information

**Upper Explosive Limit:** No available information

No available information Vapor pressure (Pa) **Vapor Density** No available information **Relative Density** No available information **Solubility in Water** No available information Partition coefficient n-octanol/water (Log Kow) No available information No available information **Auto-ignition temperature Decomposition temperature** No available information Viscosity (cSt) No available information **Oxidising properties** No available information **Explosive properties** No available information

9.2. Other information

No other relevant information.

# Section 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No available information

#### 10.4. Conditions to avoid

Avoid high temperatures and contact with incompatible material

#### 10.5. Incompatible materials

No available information

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.



# Section 11. Toxicological information

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Glycerine - (56-81-5)	23,000.00, Mouse - Category: NA	56,750.00, Guinea Pig - Category: NA	No data available	No data available	No data available
Ethanol - (64-17-5)	10,470.00, Rat -	17,100.00, Rabbit	124.70, Rat -	No data	No data
	Category: NA	- Category: NA	Category: NA	available	available
CI 74160 - (147-14-8)	6,401.00, Rat -	> 5,000.00, Rat -	No data	No data	No data
	Category: NA	Category: NA	available	available	available
CI 77891 - (13463-67-7)	>25,000.00, Rat -	No data	No data	6.82, Rat -	No data
	Category: NA	available	available	Category: NA	available
Ammonium Acrylates Copolymer - (Proprietary)	No data	No data	No data	No data	No data
	available	available	available	available	available

**Carcinogen Data** 

CAS No.	Ingredient	Source	Value
0000056-81-5	Glycerine	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0000064-17-5	Ethanol	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	A3
0000147-14-8 CI 74160		OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0013463-67-7	CI 77891	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
		ACGIH	A4
Proprietary	Ammonium Acrylates Copolymer	OSHA	Regulated Carcinogen: No

SDS Revision 0

Date: 13/1/2022



	NTP Kr	nown: No; Suspected: No		
	IARC Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: N			
	ACGIH No Established Limit			
Classification	Category	Hazard Description		
Acute toxicity (oral)				
Acute toxicity (dermal)				
Acute toxicity (inhalation)				
Skin corrosion/irritation				
Serious eye damage/irritation				
Respiratory sensitization				
Skin sensitization				
Germ cell mutagenicity				
Carcinogenicity				
Reproductive toxicity				
STOT-single exposure				
STOT-repeated exposure				
Aspiration hazard				

## 11.2.1 Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

# Section 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

## **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
Glycerine - (56-81-5)	54,000.00, Oncorhynchus mykiss	1,955.00, Daphnia magna			
Ethanol - (64-17-5)	15,400.00, Lepomis macrochirus	>10,000.00, Daphnia magna	17.921 (96 hr), Ulva pertusa	>1,000.00	89.00
CI 74160 - (147-14-8)	>100.00, Danio rerio	501.00, Daphnia magna	>100.00 (72 hr), Desmodesmus subspicatus	10,001.00	0.99
CI 77891 - (13463-67-7)	294.00, Oryzias latipes	501.00, Daphnia magna	>100.00 (72 hr), Pseudokirchneriella subcapitata	10,001.00	
Ammonium Acrylates Copolymer - (Proprietary)					

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

## 12.3. Bioaccumulative potential

No available information

**SDS Revision 0** 

Date: 13/1/2022



**SDS Revision 0 Date: 13/1/2022** 

#### 12.4. Mobility in soil

No available information

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6 Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

#### 12.7. Other adverse effects

No available information

# Section 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

# **Section 14. Transport information**

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA				
14.1. UN number	Not Regulated	Not Regulated	Not Regulated				
14.2. UN proper shipping name	g Not Regulated	Not Regulated	Not Regulated				
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air class: Not Applicable Sub Class: Not Applicable				
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable				
14.5. Environmental hazards							
<b>IMDG</b> Mar	Marine Pollutant: No;						
14.6. Special precautions	for user						
No a	vailable information						
44		DOT	~ •				

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

# **Section 15. Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU Legislation

REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### **National Legislation**



**SDS Revision 0 Date: 13/1/2022** 

None noted.

#### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

#### **Section 16. Other information**

#### SDS Revision Date 13/1/2022

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders. The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

End of Document